Refine Search

Search Results -

Terms	Documents
((anti adj site) or antisite) with defect\$1	72

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database

Database:

EPO Abstracts Database JPO Abstracts Database Derwent World Patents Index

IBM Technical Disclosure Bulletins

Search:

L3	2	,
		15
	7	



Refine Search

Interrupt

Search History

DATE: Tuesday, March 29, 2005 Printable Copy Create Case

Set Name	Query	Hit Count	Set Name
side by side			result set
DB=PGPB	i, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR = 0	YES; $OP = OR$	
<u>L3</u>	((anti adj site) or antisite) with defect\$1	72	<u>L3</u>
<u>L2</u>	antisite adj defect\$1	22	<u>L2</u>
<u>L1</u>	LT-GaAs and Be	5	<u>L1</u>

END OF SEARCH HISTORY



Home | Login | Logout | Access Information | Ale

Welcome United States Patent and Trademark Office

□□ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "((antisite	and be) <in>metadata)"</in>
Your search matched	13 of 1137806 documents.

⊠e-mail

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

New Search	1	Modify	Search
» Key			te 'and' be} <in>metadata)</in>
IEEE JNL	IEEE Journal or Magazine	Пс	heck to search only within this results set
IEE JNL	IEE Journal or Magazine	Display	Format: G Citation C Citation & Abstract
IEEE CNF	IEEE Conference Proceeding	Select	Article Information
IEE CNF	IEE Conference Proceeding		
IEEE STD	IEEE Standard		Conductivity of MgO-doped LINbO ₃ crystals Frangulian, T.S.; Pichugin, V.F.; Yakovlev, V.Yu.; Kim, I.W.; Science and Technology, 2000. KORUS 2000. Proceedings. The 4th Korea-Russia International Symposium Volume 1, 27 June-1 July 2000 Page(s): AbstractPlus Full Text: PDF(436 KB) IEEE CNF
			2. Role of zinc in CdZnTe radiation detectors Muren Chu; Terterian, S.; Ting, D.; Nuclear Science, IEEE Transactions on Volume 51, Issue 5, Oct. 2004 Page(s):2405 - 2411 AbstractPlus References Full Text: PDF(280 KB) IEEE JNL
			 Growth and magnetic properties of single crystal Co₂MnX (X=Si,Ge) He usler alloys Cheng, S.F.; Nadgomy, B.; Bussmann, K.; Carpenter, E.E.; Das, B.N.; Trotter, G.; Raphael, M.P.; Harris, V.G Magnetics, IEEE Transactions on Volume 37, Issue 4, July 2001 Page(s):2176 - 2178 <u>AbstractPlus</u> <u>References</u> Full Text: <u>PDF(51 KB)</u> IEEE JNL
			4. High pressure oxygenation in melt textured NdBa ₂ Cu ₃ O ₇ : Identification of pinning mechanisms Pulog, T.; Obradors, X.; Martinez, B.; Sandiumenge, F.; Gomis, V.; Alonso, J.A.; Applied Superconductivity, IEEE Transactions on Volume 9, Issue 2, June 1999 Page(s):2054 - 2057 AbstractPlus References Full Text: PDF(312 KB) IEEE JNL
			5. Theoretical studies of point defects and diffusion in Nb3Sn Welch, D.; Dienes, G.; Lazareth, O.; Hatcher, R.; Magnetics, IEEE Transactions on Volume 19, Issue 3, May 1983 Page(s):889 - 892 AbstractPlus Full Text: PDF(480 KB) IEEE JNL
		ī	6. Optimization of Be-doped low-temperature-grown GaAs layers for ultrafast optoelectronic application Roux, JF.; Siegert, J.; Marcinkevicius, S.; Kaminska, M.; Wolos, A.; Bertulis, K.; Coutaz, JL.; Krotkus, A.; Lasers and Electro-Optics Europe, 2000. Conference Digest. 2000 Conference on 10-15 Sept 2000 Page(s):1 pp. AbstractPlus Full Text: PDF(104 KB) IEEE CNF

7. Separation of electron and hole dynamics in low-temperature grown GaAs

	Haiml, M.; Siegner, U.; Morier-Genoud, F.; Gebauer, J.; Specht, P.; Weber, E.R.; Keller, U.; Semiconducting and Insulating Materials Conference, 2000. SIMC-XI. International 3-7 July 2000 Page(s):97 - 100
,	AbstractPlus Full Text: PDF(208 KB) IEEE CNF
	 Defect engineering in MBE grown GaAs based materials Specht, P.; Cich, M.J.; Zhao, R.; Jager, N.D.; Gebauer, J.; Borner, F.; Krause-Rehberg, R.; Luysberg, M.; V Semiconducting and insulating Materials Conference, 2000. SIMC-XI. International 3-7 July 2000 Page(s):73 - 76
	AbstractPlus Full Text: PDF(228 KB) IEEE CNF
	9. Suppression of gate leakage current in n-AlGaAs/GaAs power HEMTs Nagayama, A.; Yamauchi, S.; Hariu, T.; Electron Devices, IEEE Transactions on Volume 47, Issue 3, March 2000 Page(s):517 - 522
	AbstractPlus References Full Text: PDF(132 KB) IEEE JNL
indicated.	 Intergrain magnetores istance in electron-doped Sr/sub 2/FeMoO/sub 6/ Venkatesan, M.; Fitzgerald, C.B.; Varadaraju, U.V.; Coey, J.M.D.; Magnetics, IEEE Transactions on Volume 38, Issue 5, Sept. 2002 Page(s):2901 - 2903
	AbstractPlus References Full Text: PDF(197 KB) IEEE JNL
	11. Spin glass behavior of FeSbO4studied by Mössbauer spectroscopy and magnetometry Labarta, A.; Sarson, M.; Obradors, X.; Berry, F.; Rodriguez, R.; Tejada, J.; Magnetics, IEEE Transactions on Volume 23, Issue 5, Sep 1987 Page(s):2311 - 2313
	AbstractPlus Full Text: PDF(256 KB) IEEE JNL
	 Inhomogeneous and homogeneous broadening in Pr³⁺- and Er ³⁺-doped lithium niobate Macfarlane, R.M.; Sun, Y.; Konz, F.; Cone, R.L.; Lasers and Electro-Optics, 2000. (CLEO 2000). Conference on 7-12 May 2000 Page(s):492 - 493
	AbstractPlus Full Text: PDF(184 KB) IEEE CNF
4444	13. Electrical Isolation of p-type GaAs layers by proton b ombardment Boudinov, H.; Coelho, A.V.P.; de Souza, J.P.; Semiconducting and Insulating Materials Conference, 2000. SIMC-XI. International 3-7 July 2000 Page(s):163 - 166
	AbstractPlus Full Text: PDF(228 KB) IEEE CNF

Indexed by MInspec*

Help Contact Us Privac

Copyright 2005 IE

⊠e-mail



Home | Login | Logout | Access Information | Ale

Welcome United States Patent and Trademark Office

Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "((It-g	aas and be) <in>metadata)"</in>
---------------------	------------	-----------------------

Your search matched 38 of 1137806 documents.

» View Session	n History		Oversh				
» New Search			Search				
» Key		((it-gas	as 'and' be) <in>metadata)</in>				
	1555 towards		Check to search only within this results set				
IEEE JNL	IEEE Journal or Magazine	Displa	Display Format: © Citation C Citation & Abstract				
IEE JNL	IEE Journal or Magazine						
IEEE CNF	IEEE Conference Proceeding	Select	Article Information				
IEE CNF	IEE Conference						
IEEE STD	Proceeding		1. Thermal stability of MISFET with low-temp molecular-beam epitaxy-grown GaAs and Al _{0.3} Ga _{0.7} As gate				
IEEE STD	IEEE Standard		Rao, R.V.V.J.; Chong, T.C.; Tan, L.S.; Lau, W.S.;				
			Reliability, IEEE Transactions on Volume 49, Issue 2, June 2000 Page(s):147 - 152				
			AbstractPlus References Full Text: PDF(116 KB) IEEE JNL				
			2. Improved breakdown voltage in GaAs MESFETs utilizing surface layers of GaAs grown at a low temper				
	•	J!	Yin, LW.; Hwang, Y.; Lee, J.H.; Kolbas, R.M.; Trew, R.J.; Mishra, U.K.;				
			Electron Device Letters, IEEE				
			Volume 11, Issue 12, Dec. 1990 Page(s):561 - 563				
			AbstractPlus Full Text: PDF(196 KB) IEEE JNL				
			3. Photonic A/D conversion using low-temperature-grown GaAs MSM switches integrated with SI-CMOS				
		J	Urata, R.; Nathawad, L.Y.; Takahashi, R.; Kai Ma; Miller, D.A.B.; Wooley, B.A.; Harris, J.S., Jr.;				
			Lightwave Technology, Journal of				
			Volume 21, Issue 12, Dec. 2003 Page(s):3104 - 3115				
			AbstractPlus References Full Text: PDF(597 KB) IEEE JNL				
			4. A micromachined photoconductive near-field probe for picosecond pulse propagation measurement				
,		J anni	transmission lines				
			Jongjoo Lee; Heeseok Lee; Sungkyu Yu; Joungho Kim;				
			Selected Topics in Quantum Electronics, IEEE Journal of Volume 7, Issue 4, July-Sept. 2001 Page(s):674 - 682				
			AbstractPlus References Full Text: PDF(359 KB) IEEE JNL				
			Andrews 182 Houselfood Law Love Fall Cook Law Love				
			5. Characterization of LT GaAs carrier lifetime in multilayer GaAs epitaxial wafers by the transient reflect				
		Learne	McMorrow, D.; Melinger, J.S.; Knudson, A.R.; Buchner, S.; Ikossi-Anastasiou, K.; Moss, S.C.; Engelhardt, D.				
			A.B.;				
			Nuclear Science, IEEE Transactions on Volume 44, Issue 6, Dec. 1997 Page(s):2290 - 2297				
			AbstractPlus References Full Text: PDF(1020 KB) IEEE JNL				
			Characterization of defeats in LT Code using a revel method based on this LT layers incommented in				
			 Characterization of defects in LT-GaAs using a novel method based on thin LT-layers incorporated in Kiesel, P.; Tautz, S.; Pfeiffer, KF.; Kramer, S.; Steen, C.; Malzer, S.; Dohler, G.H.; 				
			Semiconducting and Insulating Materials Conference, 2000. SIMC-XI. International				
			3-7 July 2000 Page(s):65 - 72				

	7.	Charge-collection efficiency of GaAs field effect transistors fabricated with a low-temperature grown I Dependence on charge deposition profile McMorrow, D.; Knudson, A.R.; Melinger, J.S.; Buchner, S.; Nuclear Science, IEEE Transactions on Volume 47, Issue 3, June 2000 Page(s):498 - 507
		AbstractPlus Full Text: PDF(776 KB) IEEE JNL
	8.	High-power narrow-band terahertz generation using large-aperture photoconductors Sang-Gyu Park; Weiner, A.M.; Melloch, M.R.; Sider, C.W.; Sider, J.L.; Taylor, A.J.; Quantum Electronics, IEEE Journal of Volume 35, Issue 8, Aug. 1999 Page(s):1257 - 1268 AbstractPlus References Full Text: PDF(232 KB) IEEE JNL
	9 .	Defect engineering in MBE grown GaAs based materials Specht, P.; Cich, M.J.; Zhao, R.; Jager, N.D.; Gebauer, J.; Borner, F.; Krause-Rehberg, R.; Luysberg, M.; We Semiconducting and Insulating Materials Conference, 2000. SIMC-XI. International 3-7 July 2000 Page(s):73 - 76 AbstractPlus Full Text: PDF(228 KB) IEEE CNF
	10.	High-speed photoconductive switch based on low-temperature GaAs transferred on SiO/sub 2/-Si sub Mikulics, M.; Xuemei Zheng; Adam, R.; Sobolewski, R.; Kordos, P.; Photonics Technology Letters, IEEE Volume 15, Issue 4, April 2003 Page(s):528 - 530
		AbstractPlus References Full Text: PDF(223 KB) IEEE JNL
and the second	11.	Pulse-coupling measurement of coupled microstrip lines using a micromachined picosecond optical i Lee, J.; Lee, H.; Baek, S.; You Chul Jeong; Kim, J.; Microwave Theory and Techniques, IEEE Transactions on Volume 49, Issue 10, Oct. 2001 Page(s):1740 - 1746 AbstractPlus References Full Text: PDF(168 KB) IEEE JNL
	12.	Ultrafast all-optical switching with an asymmetric Fabry-Perot device using low-temperature-grown G device Issues Loka, H.S.; Smith, P.W.E.; Quantum Electronics, IEEE Journal of Volume 36, Issue 1, Jan. 2000 Page(s):100 - 111 AbstractPlus References Full Text: PDF(412 KB) IEEE JNL
	13.	High-temperature performance of GaAs-based HFET structure containing LT-AlGaAs and LT-GaAs Schmid, P.; Lipka, K.M.; Ibbetson, J.; Nguyen, N.; Mishra, U.; Pond, L.; Weitzel, C.; Kohn, E.; Electron Device Letters, IEEE Volume 19, Issue 7, July 1998 Page(s):225 - 227 AbstractPlus References Full Text: PDF(80 KB) IEEE JNL
	14.	Material and ultrafast optoelectronic properties of furnace-annealed arsenic-ion-implanted GaAs Gong-Ru Lin; Wen-Chung Chen; Chang, CS.; Shyh-Chin Chao; Kaung-Hsiung Wu; Hsu, T.M.; Lee, W.C.; C Quantum Electronics, IEEE Journal of Volume 34, Issue 9, Sept. 1998 Page(s):1740 - 1748 AbstractPlus References Full Text: PDF(216 KB) IEEE JNL
	15.	SEU design considerations for MESFETs on LT GaAs Weatherford, T.R.; Radice, R.; Eskins, D.; Devers, J.; Fouts, D.J.; Marshall, P.W.; Marshall, C.J.; Dietrich, H.; Nuclear Science, IEEE Transactions on Volume 44, Issue 6, Dec. 1997 Page(s):2282 - 2289 AbstractPlus References Full Text: PDF(1352 KB) IEEE JNL

	16.	Low frequency noise analysis of LT-GaAs and LT-AI _{0.3} Ga _{0.7} As MISFET active layers Rao, R.V.V.V.; Chong, T.C.; Lau, W.S.; Tan, L.S.; Geng, C.; Lim, N.; Electronics Letters Volume 34, Issue 21, 15 Oct. 1998 Page(s):2066 - 2067
		AbstractPlus Full Text: PDF(260 KB) IEE JNL
	17.	A physical analytical model for LT-GaAs and LT-Al _{0.3} Ga _{0.7} As MISFET devices Rao, R.V.V.V.J.; Chong, T.C.; Tan, L.S.; Lau, W.S.; Liou, J.J.; Electron Devices Meeting, 1999. Proceedings., 1999 IEEE Hong Kong 26 June 1999 Page(s):134 - 136
		AbstractPlus Full Text: PDF(120 KB) IEEE CNF
	18.	Effect of LT-layer thickness on the performance of LT-GaAs and LT-Al _{0.3} Ga _{0.7} As MISFETs Rao, R.V.V.V.J.; Chong, T.C.; Tan, L.S.; Lau, W.S.; Microwave Conference, 1999 Asia Pacific Volume 1, 30 Nov3 Dec. 1999 Page(s):60 - 63 vol.1
		AbstractPlus Full Text: PDF(152 KB) IEEE CNF
	19.	Study of carrier dynamics in LT GaAs by means of time-resolved emission terahertz spectroscopy Nemec, H.; Kuzel, P.; Khazan, M.; Sch, S.; Wilke, I.; Quantum Electronics Conference, 2000. Conference Digest. 2000 International 10-15 Sept. 2000 Page(s):1 pp.
		AbstractPlus Full Text: PDF(84 KB) IEEE CNF
	20.	Mode locked Nd:glass fiber laser using intensity dependent defocusing by low-temperature-grown Galeitner, M.; Glas, P.; Wrage, M.; Sandrock, T.; Legall, H.; Heuer, A.; Apostolopoulos, G.; Herfort, J.; Daweritz Lasers and Electro-Optics Europe, 2000. Conference Digest. 2000 Conference on 10-15 Sept 2000 Page(s):1 pp.
		AbstractPlus Full Text: PDF(84 KB) IEEE CNF
	21.	Thin terahertz detectors and emitters based on low-temperature grown GaAs on sapphire Mitrofanov, O.; Brener, I.; Wanke, M.C.; Ruel, R.R.; Wynn, J.D.; Bruce, A.J.; Federici, J.; Lasers and Electro-Optics, 2000. (CLEO 2000). Conference on 7-12 May 2000 Page(s):528 - 529
		AbstractPlus Full Text: PDF(172 KB) IEEE CNF
	22.	Photoconductive detection of THz radiation using two-step photoabsorption in LT-GaAs Tani, M.; Lee, KS.; Zhang, XC.; Lasers and Electro-Optics, 2000. (CLEO 2000). Conference on
		7-12 May 2000 Page(s):529 - 530
		AbstractPlus Full Text: PDF(168 KB) IEEE CNF
×	23.	Be-doped low-temperature grown GaAs for ultrafa'st optoelectronic devices and applications Coutaz, JL.; Roux, JF.; Gaarder, A.; Marcinkevicius, S.; Jasinski, J.; Korona, K.; Kaminska, M.; Bertulis, K. Semiconducting and Insulating Materials Conference, 2000. SIMC-XI. International 3-7 July 2000 Page(s):89 - 96
		AbstractPlus Full Text: PDF(396 KB) IEEE CNF
×	24.	Influence of Be doping on the structural properties of low-temperature grown GaAs Luysberg, M.; Specht, P.; Weber, E.R.; Semiconducting and Insulating Materials Conference, 2000. SIMC-XI. International 3-7 July 2000 Page(s):81 - 84
		AbstractPlus Full Text: PDF(464 KB) IEEE CNF
	25.	Control of non-stolchlometry of low-temperature-grown III-V semiconductors using in situ reflectance spectroscopy

Herfort, J.; Apostolopoulos, G.; Ulrici, W.; Daweritz, L.; Ploog, K.H.; Semiconducting and Insulating Materials Conference, 2000. SIMC-XI. International 3-7 July 2000 Page(s):77 - 80

AbstractPlus | Full Text: PDF(196 KB) | IEEE CNF



Copyright 2005 IE



Home | Login | Logout | Access Information | Ale

Welcome United States Patent and Trademark Office

Search Res	ults			BROW	ISE	SEARCH	IEEE XPLORE GUIL	DE
Your search	"((It-gaas and be) <in: n matched 38 of 11378 n of 38 results are displa</in: 	06 documents.	age, sorted by	Relevance in Desc	ending order.			⊠ e-mail
View Session	on History							
New Search	1	Modify	Search					
» Key		((It-gaa	s 'and' be) <in></in>	metadata)			>>	
IEEE JNL	IEEE Journal or Magazine		heck to searc	h only within this res	ults set			
IEE JNL	IEE Journal or Magazine	Display	y Format:	(€ : Citation	Citation	& Abstract		
IEEE CNF	IEEE Conference Proceeding	Select	Article In	formation				•
IEE CNF	IEE Conference Proceeding	36,661	Arabic III	ionnabon				
IEEE STD	IEEE Standard		Franke Electro		F.; Mourou, G.A.: Insactions on	; Smith, F.W.; Calaw	low-temperature-grown G a, A.R.;	aAs
			Abstrac	dPlus Full Text: PD	<u>)F(</u> 516 KB) IEE	E JNL		
		-	Stone, Microw		iles, R.E.; Fletch hniques, IEEE T	er, J.R.; Steenson, Cransactions on	onductive terahertz emitte b.P.;	ers
			Abstrac	ctPlus References	Full Text: <u>PDF(</u>	544 KB) IEEE JNL		
			Kai Ma Quantu	mperature growth ; Urata, R.; Miller, D. im Electronics, IEEE e 40, Issue 6, June	.A.B.; Harria, J.S Joumal of	i., Jr.;	notoconductive switches	·
			Abstrac	dPlus References	Full Text: PDF(2	200 KB) IEEE JNL		
			Loka, F Photon	st all-optical switch I.S.; Smith, P.W.E.; ics Technology Lette 10, Issue 12, Dec	ers, IEEE	·	device using low-tempera	ature-grown GaA
			Abstrac	ctPlus References	Full Text: PDF(76 KB) IEEE JNL		
		T. t. s.	Loka, H Quantu	I characterization of I.S.; Benjamin, S.D.; Im Electronics, IEEE 34, Issue 8, Aug.	; Smith, P.W.E.; Journal of		r ultrafast all-optical switc	hing devices
			Abstrac	dPlus References	Full Text: PDF(236 KB) IEEE JNL		
			Hache, Quantu	um Interference co A.; Sipe, J.E.; van D im Electronics, IEEE 34, Issue 7, July 1	Oriel, H.M.; Journal of	al currents in GaAs 44 - 1154		
			Abstrac	tPlus References	Full Text: PDF(328 KB) IEEE JNL		

C	32. Effects of low-temperature buffer-layer thickness and growth temperature on the SEE sensitivity of Gi Weatherford, T.R.; Marshall, P.W.; Marshall, C.J.; Fouts, D.J.; Mathes, B.; LaMacchia, M.; Nuclear Science, IEEE Transactions on Volume 44, Issue 6, Dec. 1997 Page(s):2298 - 2305 <u>AbstractPlus References Full Text: PDF(884 KB) IEEE JNL</u>
IJ	33. A two-color TI:sapphire laser for CW-THz generation Siebert, K.; Siebe, F.; Roskos, H.G.; Leonhardt, R.; Lasers and Electro-Optics, 2000. (CLEO 2000). Conference on 7-12 May 2000 Page(s):497 AbstractPlus Full Text: PDF(92 KB) IEEE CNF
	34. Ultrabroadband photoconductive sampling of THz radiation with 15 fs laser pulses Tani, M.; Kono, S.; Sakai, K.; Lasers and Electro-Optics Society 2000 Annual Meeting. LEOS 2000. 13th Annual Meeting. IEEE Volume 1, 13-16 Nov. 2000 Page(s):183 - 184 vol.1 AbstractPlus Full Text: PDF(148 KB) IEEE CNF
	35. Micromachined photoconductive electric field mapping probe for the measurement of picosecond pul Jongjoo Lee; Heeseok Lee; Joungho Kim; Lasers and Electro-Optics Society 2000 Annual Meeting. LEOS 2000. 13th Annual Meeting. IEEE Volume 1, 13-16 Nov. 2000 Page(s):41 - 42 vol.1 AbstractPlus Full Text: PDF(152 KB) IEEE CNF
	36. On the measurement of high resistance semiconductors by the van der Pauw method Morvic, M.; Advanced Semiconductor Devices and Microsystems, 2000. ASDAM 2000. The Third International EuroConf. 16-18 Oct. 2000 Page(s):327 - 330 <u>AbstractPlus</u> Full Text: <u>PDF</u> (212 KB) IEEE CNF
	 Enhanced Intermixing in anion and cation sublattices of low-temperature grown GaAs Chaldyshev, V.V.; Bert, N.A.; Musikhin, Yu.G.; Suvorova, A.A.; Preobrazhenskii, V.V.; Putyato, M.A.; Semyaç Semiconducting and Insulating Materials Conference, 2000. SIMC-XI. International 3-7 July 2000 Page(s):121 - 124 AbstractPlus Full Text: PDF(200 KB) IEEE CNF
	38. Ballistic transport in nanostructures used for novel THz emitters Dohler, G.H.; Eckardt, M.; Schwanhauber, A.; Renner, F.; Robledo, L.; Fnedrich, A.; Pohl, P.; Malzer, S.; Kies Hanson, M.; Gossard, A.C.; Optoelectronic and Microelectronic Materials and Devices, 2002 Conference on 11-13 Dec. 2002 Page(s):275 - 280 AbstractPlus Full Text: PDF(403 KB) IEEE CNF

* * * *

Help Contact Us Privac

© Copyright 2005 IE

Indexed by MINSPEC